

Earth and Space Science



COMMENTARY

10.1029/2022EA002414

Special Section:

The Power of Many: Opportunities and Challenges of Integrated, Coordinated, Open, and Networked (ICON) Science to Advance Geosciences

Key Points:

- The study of Earth and planetary surface processes would benefit from the further advancement and application of Integrated, Coordinated, Open, Networked (ICON) and justice, equity, diversity, and inclusion principles
- An important aspect of ICON is that science effectively serves both the scientific communities and broader society
- This commentary highlights current and future application of ICON principles within the Earth and planetary surface processes community

Correspondence to:

A. Flatley,
alissa.flatley@unimelb.edu.au

Citation:

Burberry, C. M., Flatley, A., Gray, A., Guilinger, J., Hamshaw, S., Hill, K., et al. (2022). Earth and planetary surface processes perspectives on integrated, coordinated, open, networked (ICON) science. *Earth and Space Science*, 9, e2022EA002414. <https://doi.org/10.1029/2022EA002414>

Received 5 MAY 2022
Accepted 25 JUL 2022

Author Contributions:

Conceptualization: C. M. Burberry, A. Flatley, A. Gray, J. Guilinger, S. Hamshaw, K. Hill, Y. Mu, J. C. Rowland
Writing – original draft: C. M. Burberry, A. Flatley, A. Gray, J. Guilinger, S. Hamshaw, K. Hill, Y. Mu, J. C. Rowland

© 2022 The Authors.

This is an open access article under the terms of the [Creative Commons Attribution-NonCommercial License](#), which permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

Earth and Planetary Surface Processes Perspectives on Integrated, Coordinated, Open, Networked (ICON) Science

C. M. Burberry¹ , A. Flatley² , A. Gray³ , J. Guilinger⁴, S. Hamshaw⁵ , K. Hill⁶ , Y. Mu⁷ , and J. C. Rowland⁸ 

¹Department of Earth and Atmospheric Sciences, University of Nebraska-Lincoln, Lincoln, NE, USA, ²School of Geography, Earth and Atmospheric Sciences, University of Melbourne, Carlton, VIC, USA, ³Department of Environmental Sciences, University of California Riverside, Riverside, CA, USA, ⁴Department of Civil and Environmental Engineering, University of California Irvine, Irvine, CA, USA, ⁵Department of Civil and Environmental Engineering, University of Vermont, Burlington, VT, USA, ⁶Department of Civil, Environmental and Geo-Engineering, University of Minnesota, Minneapolis, MN, USA, ⁷Department of Geography, University of California Santa Barbara, Santa Barbara, CA, USA, ⁸Los Alamos National Laboratory, Los Alamos, NM, USA

Abstract This article provides a commentary about the state of integrated, coordinated, open, and networked (ICON) principles in Earth and Planetary Surface Processes and discussion on the opportunities and challenges of adopting them. This commentary focuses on the challenges with current inclusive, equitable, and accessible science and highlights how research undertaken in the earth and planetary surface processes community currently benefit from and would be able to grow as a discipline with more directed implementation of ICON principles.

1. Introduction

Integrated, Coordinated, Open, Networked (ICON) science aims to enhance synthesis, increase resource efficiency, and create transferable knowledge (Goldman et al., 2022). This article belongs to a collection of commentaries (Goldman et al., 2022) spanning geoscience on the state and future of ICON science.

Earth and Planetary Surface Processes (EPSP) is a multidisciplinary field encompassing the full range of processes that generate and erode landscapes, create stratigraphy, and that couple the internal dynamics of the surface to climatic, tectonic, and anthropogenic forcings. EPSP is a science that benefits from wide ranges of community participation whether from different members of our scientific community who bring field and remote monitoring, and laboratory, computational and theoretical work to the table. It also benefits from the networking and inclusion of a wide range of our human communities, integrating multiple ways of knowing, including both traditional, indigenous knowledge and more “westernized” science.

This contribution first discusses ICON through justice, equity, diversity, and inclusion (JEDI) concepts, as well as systemic challenges to implementing these principles in EPSP. Systemic challenges typically stem from the problematic colonial history of geomorphology and are continued through parachute science and a lack of integration and networking with all communities. The subsequent sections provide examples of ICON science that are currently occurring within EPSP, and additional challenges the EPSP community faces in pursuing ICON science. Lastly, we close with a section on opportunities for growing ICON further within the EPSP community including through continued efforts within JEDI concepts.

2. Inclusive, Equitable, and Accessible Science

2.1. ICON and JEDI Concepts

An important aspect of ICON is that science effectively serves both the scientific communities and broader society, thus a discussion of JEDI is important to promoting ICON science. The history of EPSP science, that is, early geomorphology, was problematic in many ways and certainly with respect to the ICON principles of being (a) integrated across disciplines; (b) coordinated using consistent methods; (c) open by producing data that are Findable, Accessible, Interoperable, and Reusable (FAIR); and (d) networked across institutions or collaborators. However, steps are being taken with the recommendations of Eicken et al. (2021) and Lane (2021) and initiatives like Unlearning Racism in Geoscience (URGE) and the AGU “Bridge” program (a program which

Writing – review & editing: C. M. Burberry, A. Flatley, A. Gray, J. Guiling, S. Hamshaw, K. Hill, Y. Mu, J. C. Rowland

increases opportunities for historically marginalized populations to obtain either graduate degrees) to create an EPSP community that adheres to the principles of ICON-FAIR.

2.2. Challenges to ICON and JEDI Work in EPSP

Geosciences as a whole is lagging behind many other STEM fields in regard to embracing JEDI concepts within our ranks (Bernard & Cooperdock, 2018). Though what is included here is not a comprehensive list, many aspects of the history of modern geomorphology are problematic. For example, many land surveys conducted by early geomorphologists were used as a mechanism and justification for violent colonization of the “New World” (e.g., Powell Surveys in the Colorado River Basin, USA (Pico, 2019), and the Davisian Landscape Evolution view of Indigenous lands as “untamed” (Pico, 2019)). By touting the history of these problematic figures (primarily of white European Ancestry) in our textbooks and leaving out narratives from Traditional Knowledge across many Indigenous cultures worldwide, we continue this exclusionary view of our science (Tooth & Viles, 2021), strongly undermining attempts to engender more Integrated and Networked EPSP science. This legacy also continues within geomorphology, notably through “parachute science” wherein (predominantly White) scientists from higher-income countries conduct research in lower-income countries with little to no input from native scientists in the creation of publications (North et al., 2020; Tooth & Viles, 2021). Parachute science remains a significant concern with respect to earth surface research, for example, in the Arctic. As the Arctic warms, its geomorphology is one of the most rapid and visible components of change. These changes are increasingly drawing scientific interest from geomorphologists (and in some instance planetary scientists in pursuit of analogs) from outside the region and with limited experience working with or knowledge of the people living in these regions.

In regards to ICON, colonization legacies and parachute science issues highlights the need for more explicit inclusion of indigenous groups and early career scientists from the region being studied, as part of a Network during all phases of scientific work, particularly at the beginning as research questions and proposals are being formulated. To be more blunt, perhaps this means that mandating that funding proposals across an economic divide must include ECRs from the host country where sampling and fieldwork are being carried out is necessary. Across Alaska, many communities are advocating for a greater voice and role in the science conducted on and around their lands (Stone, 2020). Understanding and incorporating local communities and knowledge into nationally funded science programs will require skills not traditionally taught in earth science programs. Nationally funded “top-down” research commonly only engages local communities after a proposal has been written and funded whereas “Bottom-up” community-based projects may have limited connections to large-scale scientific studies being conducted in proximity to these communities. Eicken et al. (2021), put forth recommendations for bridging the “top-down” and “bottom-up” divide that lie at the heart of the ICON science. These include coordinating the priorities and methodology in observing and data management programs at appropriate scales. Eicken et al. (2021) further emphasize the need for FAIR principles to be recognized in the context of scientific engagement with Indigenous communities to protect Indigenous intellectual property rights, and to ensure access to data that is unrestricted and in formats useful to, and useable by, local communities.

Historically excluded groups (Black, Indigenous, POC, differently abled, LGBTQIA+, women) are particularly at risk in disciplines where there is traditionally a strong element of fieldwork (e.g., Pickrell, 2020; St. John et al., 2016) and this is no exception for the Earth and Planetary Surface Processes community (Tooth & Viles, 2021). Fieldwork is often framed as needing a strong element of traditionally masculine prowess (e.g., King et al., 2017) which leaves many feeling unwelcome (Hill et al., 2021). Another, more widespread problem with fieldwork is the concern of accessibility for students, as many degree programs still require 6 week, intensive field programs for accreditation (Giles et al., 2020). The cost of field work can be especially prohibitive when including hidden costs such as fieldwork kit, dependent care, and lost wages, all of which can number in the range of 1,200–1800 US dollars for long field excursions (Abeyta et al., 2021). In addition, differently abled students are at risk here, and there are often major safety concerns for other historically excluded groups, for example, LGBTQIA + working in parts of the world where their orientation is classed as illegal, or even in remote areas of the USA (e.g., Francis, 2018). Inclusivity and equity in fieldwork remain a significant challenge that must be addressed prior to an Open network being possible.

3. Current State of ICON Principles in Field, Experimental, Remote Sensing, and Real-Time Data Research

Better adoption of ICON principles into all aspects of EPSP research are essential for advancing the discipline and for breaking down barriers to greater inclusion and community engagement. In the following sections we focus on opportunities in EPSP science that have traditionally been cultural and scientific barriers to greater integration and openness.

3.1. Field Monitoring

The current diversity of EPSP field monitoring programs span a wide range of spatio-temporal and organizational scales, but integrating these efforts remains a challenge that will require further coordination and networking. Long term (interannual to interdecadal) field monitoring projects covering large spatial domains (state to international scale) tend to be managed by large organizations such as state and federal agencies, with long-term funding sources. Short term (event to interannual) monitoring projects and/or those focused on small spatial scales (local to state) tend to be managed by small organizations and individuals such as academic researchers and local stakeholders, with short-term funding. However, larger-scale consortia of small organizations and individual researchers are beginning to integrate and coordinate small-scale projects with increased utility for large-scale synthesis. Examples from academia and government include citizen science-centered projects such as the California Geological Survey Landslide Inventory and the CoastSnap coastal monitoring program. Many others exist that have strong inter-disciplinary value and are well networked through strong ties to the EPSP community, such as the Community Collaborative Rain, Hail and Snow Network. Coordination challenges for citizen science-based projects include the provision of dedicated staff for data quality assurance including issues surrounding the creation and provision of training material for citizen scientists to collect high-quality data.

3.2. Real-Time Data Monitoring Programs

Open FAIR data is revolutionizing the fields of EPSP. Online platforms offering access to real-time data from international to local monitoring programs have proliferated over recent decades. Examples relevant to EPSP include the USGS National Water Information System, NOAA National Center for Environmental Information, CUAHSI Hydrologic Information System (HIS)/Hydroshare, US EPA StreamCat, and the crowd-sourced FireMappers data set. The telemetry and cyberinfrastructure associated with these enable researchers to coordinate research methods (e.g., relying on common base data sets) and share data from individual monitoring sites (e.g., CUAHSI HIS). However, in many areas monitoring is limited to watershed outlets with few spatially distributed real-time watershed monitoring networks available. While the former have great utility to the EPSP community, the latter are highly valuable to development and testing of models (both data-driven and process-based) and highlight the need for increased integration, coordination and networking in EPSP research.

3.3. Remote Sensing

Advances in remote sensing have contributed to the advancement of EPSP through the principles of ICON science. Remote sensing of Earth and Planetary surfaces provides integrated information on geologic processes at a variety of spatial and temporal scales. The development and coordination of remote sensing data collection techniques and user-friendly processing software and platforms has advanced Earth and Planetary sciences. Global open-access satellite data, such as Landsat and Sentinel, provide opportunities to study the global surface process. Google Earth Engine (GEE) is an emerging cloud-based and planetary-scale platform that provides public data archives and powerful cloud processors for the Earth's surface analyses. For example, Pickens et al. (2020) were able to quantify the extent and change of global surface water dynamics using 3.4 million Landsat scenes in GEE. Additionally, efforts to archive and analyze high-resolution (meter-scale or finer) topographic datasets provide an important and networked service to the earth surface process community. This is being facilitated by groups such as OpenTopography, which houses or provides links to thousands of individual high resolution topography datasets and provides cloud computing resources for topographic analysis. Additionally, Structure-from-Motion (SfM) photogrammetry is increasingly being used to provide low-cost high resolution approaches to mapping, and simultaneously combining process-based interpretations of landscape processes across physical, chemical

and biological disciplines. Its application and development of interpretive approaches are used in many areas of earth surface processes and can be used as a tool to further apply ICON principles within the EPSP community.

3.4. Experimental Activity

In EPSP, experimental modes of inquiry tend to be integrated because they are most often pursued with the goal of better understanding processes operating at much larger scales. Experimental activities play a growing role in various approaches to scientific inquiry in the EPSP community. This includes physical modeling in controlled experiments such as flumes and basins. These activities in controlled laboratory environments have played significant roles in building intuition, for example, of sedimentary processes where important dynamics can be hidden from the human eye and essentially inaccessible due to processes that erase previous records of these processes. Experimental activities also include the use of controlled laboratory settings for the development of experimental approaches to capture, monitor and quantify surface processes in the field. Advances in sensors and technological capabilities toward field activities often occur through experimental applications to surface processes.

Despite the integrated nature of EPSP experimental inquiry, our experimental community has traditionally been fairly fragmented with individual researchers and institutions performing physical experiments of geomorphic processes ranging in scales from individual grains to entire mountains or deltas. Although initially informal, there are now increasing community-wide efforts geared toward more effective, integrated and open methods of information sharing that includes both experimental methodologies and data. This has been facilitated by funding programs such as NSF EarthCube and Research Coordination Networks that support professional networks and their knowledge bases, for example, the Sediment Experimentalist Network (SEN, sedexp.net). Grassroots efforts such as Sustainable Environment, Actionable Data (SEAD, <https://sead2.ncsa.illinois.edu/>) also provide resources for this community to publish, archive, and receive recognition (through DOIs) promoting open data.

4. Challenges for Developing ICON Principles in EPSP

A challenge, not limited to EPSP, but still occurring here, is the prioritization of citation rate and impact factor as a measure of productivity, which leads to fewer incentives for mentorship particularly for historically excluded groups. This “publish or perish” mentality also compounds these inequities, as scientists from historically excluded groups commonly face greater barriers to first-author publication relative to their white male counterparts (North et al., 2020; Pico, 2019). Programs like URGE also point to the challenges of mentorship between, for example, a white mentor and a BIPOC mentee, in truly understanding the complexities of the needs of the mentee (Martinez-Cola, 2020). There is a trend in some disciplines to encourage trainees to have multiple mentors who all serve slightly different roles in the trainee's professional and personal life; this combats the challenges of having one mentor who cannot (and should not) be all things to that trainee.

Fieldwork is an inherent part of surface research for ground-truthing, sample collection, observations of phenomena and integrating research across disciplines through time and space. Equity remains a key issue in the development of ICON/networks throughout EPSP. Physical and social accessibility to the field hinder the current application of ICON in EPSP. There are many missed opportunities for scientific engagement with EPSP, including the development of field programs with improved accessibility, gender balance, integration of the larger societal community or acknowledgment of traditional landholder priorities.

A lack of data sharing is an obstacle to open science and a key challenge for the advancement of the EPSP community and for more equitable engagement of local communities in research efforts. Generated spatial data or physical samples are often poorly shared across both the scientific and broader communities, even more so with physical samples and output from physical experiments or measurements. A lack of data accessibility (e.g., spatial) is a challenge for the achievement of open science, particularly for real-time data. Non-continuity in real time data collection can be hindered due to lapses in funding needed to collect, store, and provide quality assessment/quality control on data output. Additionally, the coverage of detailed topographic maps (under 30 m resolution) are not yet ubiquitous, meaning that many process-based modelling approaches that require high-resolution datasets are not possible in many regions.

Coordination, standardization, and harmonization of field, laboratory, and analytical methods would be one way to further advance data sharing, comparability, and synthesis in EPSP. However, there are barriers in

standardization of sampling and surrogate sensing methods that pose a challenge to fully embracing ICON principles. Approaches to field observations of land surface character, change, and flux are often developed by an individual research group or based loosely on inadequately documented and evaluated procedures, which can result in data of unknown quality and poor inter-comparability (e.g., Buffington and Montgomery, 2013). One particularly well-documented example of this includes suspended sediment. Despite studies documenting the differences and comparability of different laboratory measures of suspended sediment concentration (Gray, 2000; Williamson & Crawford, 2011), standard methodologies and sufficiently documented methods remain a significant challenge in the integration and interoperability of suspended sediment data. Similarly, the basis for accepting or rejecting EPSP analytical or modeling results remains contentious, poorly defined, and opaque for non-expert users of the data. Production and curation of truly Open data would alleviate these barriers, such as incentivizing the use of FAIR principles for individual data management plans and community databases.

5. Opportunities and Recommendations for ICON Application

The study of Earth and Planetary Surface Processes would benefit from the further advancement of ICON principles throughout each aspect of our work. Application of the ICON principles within EPSP will help us respond to daunting and complex issues such as climate change and the increase in climate-related disasters such as wildfires and flooding that disproportionately impact minority, indigenous, and underserved communities (EPA, 2021; Islam & Winkel, 2017). Increasing the Open FAIR access and exchange of data, software and models remains essential to increasing the pace and equity of advance in EPSP. Improving the distribution and access of high-resolution spatial data is a low risk/investment opportunity that can offer high benefits, driving the progress of research within EPSP particularly in areas that are hard to access. Remote sensing imagery may aid field investigations for inaccessible or large sites with the improvement of spatial and spectral resolution (e.g., Ridgecrest, CA earthquake sequence of Ponti et al., 2020; Chamoli disaster of Shugar et al., 2021). The increasing availability and development of remote sensing data provide a network to integrate multiple disciplines and coordinate field investigations for open sciences. New and developing computational tools are providing increased potential for mining these large open data sets for combined outputs from wide ranging data sources. For example, machine learning has been used to derive actionable interpretations of multi-dimensional data. Notably, SHapley Additive exPlanations — (SHAP, Lundberg & Lee, 2017) provides the capability to “reverse-engineer” physical relationships toward predictive algorithms from multi-dimensional data.

Integrated, coordinated and networked activities will be required to tackle some of the greatest scientific challenges in EPSP. The pursuit of large scale, high resolution monitoring campaigns targeting regional scale phenomena at event-scales have historically been limited to individual watersheds or landscape areas. Advances in high-frequency sensing enable this work, but successful application will require further commitment to ICON principles to study drivers of erosion and other geomorphological processes in an integrated fashion across scales. The key to achieving this will be coordinated, open sharing of methodology used for detecting and delineating event periods (e.g., erosion, rainfall-runoff, flood) from continuous monitoring records as methods currently vary across studies and event delineations are often not included in shared data sets. Significant advances in large sample research are being realized in the hydrological sciences with the benefit of deep learning and machine learning approaches (e.g., Gauch et al., 2021; Tarasova et al., 2020). Similar potential exists in geomorphology if data from sediment concentration, flux, and event studies can be readily aggregated into unified datasets accessible to researchers throughout the EPSP community.

Increasing diversity in the EPSP section is a moral imperative, and we firmly believe, after Tooth and Viles (2021) that the range of viewpoints and perspectives brings about much better science. Secondly, also after Tooth and Viles (2021), we recognize that many geomorphological projects require interaction with historically marginalized communities, indicating that the decolonization of geomorphology must be done by the enhancement of JEDI work in the EPSP community. Tooth and Viles (2021) and North et al. (2020) also discuss methods of fair collaboration with host country scientists as the way to combat the aforementioned “parachute science.” Other ways of opening up the EPSP community to the historically excluded include studying more urbanized and less “pristine” landscapes, highlighting the alternatives to fieldwork, such as modeling and the use of Big Data (e.g., Koppes & King, 2020), and focusing on outreach to underrepresented (i.e., the historically excluded) communities. King et al. (2017) suggest that conference climates can be “warmed” to historically excluded groups by (a) greater emphasis on real-world justification for the science being done, by all participants not just women

and students, (b) territorial acknowledgements (a practice also promoted by the URGE program) and (c) codes of conduct, which have been adopted by GSA and AGU. Lastly, a recent editorial for *Earth Surface Processes and Landforms* (Lane, 2021) notes changes happening at one of the larger community journals, including peer review changes, the adoption of a double-blind peer review process and efforts to create a broader geomorphic community.

A classic problem in many disciplines, including EPSP, is the so-called “leaky pipeline model” (e.g., Cronin & Roger, 1999) which has recently been reimagined with a beautiful geomorphic metaphor as a braided river model by Batchelor et al. (2021). This new model describes the movement of persons into STEM careers through varying entry points and through the career trajectory in a non-linear fashion, visually indicating the difference in pathways in contrast to the very linear pipeline model. As part of this, it is important to actively recruit and support scientists from historically excluded identities to EPSP and we advocate for the continued expansion of initiatives like the AGU Bridge Program (recruiting), and the URGE program (supporting) which do this. We must further advocate for buy-in from all levels of the EPSP community. The AGU Bridge Program is a part of the Inclusive Graduate Education Network and is open to students from historically marginalized populations who have not applied to or who have been rejected from graduate school. The program provides mentoring and support before, during and after graduate school and there is now a network of 46 partner institutions in the USA. The URGE program began in 2021, and there was an EPSP “pod” led by co-author K. Hill (details available at <https://connect.agu.org/epsp/discussion/urges-pod>). The EPSP URGE pod and smaller groups (podlets) created drafts of a series of documents including safety plans, complaints policies and resource maps. URGE is currently in the “Refinement” stage, meaning that pods are actively working to create more detailed documents out of these preliminary drafts, but the future beyond “Refinement” depends on continued funding (Burton et al., 2021). In addition, we must share the varied opportunities of a modern career within the EPSP community, work to protect our environment and recognize varied contributions in teaching, professional development and promotion.

Acknowledgments

AG was supported in part by the USDA NIFA Hatch Program [project number CA-R-ENS-5120-H] and the USDA Multi-State Project W4188. JG was supported in part by BLM JFSP GRIN [project number 20-1-02-12] and the UCR DYP. JCR funded as part of the Interdisciplinary Research for Arctic Coastal Environments (InterFACE) project through the Department of Energy, Office of Science, Biological and Environmental Research Earth and Environment Systems Sciences Division.

References

Abeyta, A., Fernandes, A. M., Mahon, R. C., & Swanson, T. E. (2021). The true cost of field education is a barrier to diversifying geosciences. Retrieved from <https://eartharxiv.org/repository/view/2091/>

Batchelor, R. L., Ali, H., Gardner-Vandy, K. G., Gold, A. U., MacKinnon, J. A., & Asher, P. M. (2021). Reimagining STEM workforce development as a braided river. *Eos*, 102. Published on 19 April 2021. <https://doi.org/10.1029/2021EO157277>

Bernard, R. E., & Cooperdock, E. H. G. (2018). No progress on diversity in 40 years. *Nature Geoscience*, 11(5), 292–295. <https://doi.org/10.1038/s41561-018-0116-6>

Buffington, J. M., & Montgomery, D. R. (2013). Geomorphic classification of rivers. In J. Shroder & E. Wohl (Eds.), *Treatise on geomorphology: fluvial geomorphology* (Vol. 9, pp. 730–767). Academic Press.

Burton, C., Duran, G., & Wright, V. (2021). The future of unlearning racism in geoscience. Retrieved from <https://urgegeoscience.medium.com/the-future-of-unlearning-racism-in-geoscience-d961d9249f70>. accessed April 2022.

Cronin, C., & Roger, A. (1999). Theorizing progress: Women in science, engineering, and technology in higher education. *Journal of Research in Science Teaching*, 36(6), 639–661. [https://doi.org/10.1002/\(sici\)1098-2736\(199908\)36:6<637::aid-tea4>3.0.co;2-9](https://doi.org/10.1002/(sici)1098-2736(199908)36:6<637::aid-tea4>3.0.co;2-9)

Eicken, H., Danielsen, F., Sam, J. M., Fidel, M., Johnson, N., Poulsen, M. K., et al. (2021). Connecting top-down and bottom-up approaches in environmental observing. *BioScience*, 71(5), 467–483. <https://doi.org/10.1093/biosci/biab018>

EPA. (2021). *Climate change and social vulnerability in the United States: A focus on six impacts*. U.S. Environmental Protection Agency. EPA 430-R-21-003.

Francis, S. (2018). Who gets to be a geologist? The problem with field studies in geology. Retrieved from <https://www.sparkscienow.com/2018/04/18/who-gets-to-be-a-geologist-the-problem-with-field-studies-in-geology/>. accessed April 2022.

Gauch, M., Kratzert, F., Klotz, D., Nearing, G., Lin, J., & Hochreiter, S. (2021). Rainfall–runoff prediction at multiple timescales with a single long short-term memory network, *Hydrol. Hydrology and Earth System Sciences*, 25(4), 2045–2062. <https://doi.org/10.5194/hess-25-2045-2021>

Giles, S., Jackson, C. A.-L., & Stephen, N. (2020). Barriers to fieldwork in undergraduate geoscience degrees. *Nature Reviews Earth & Environment*, 1(2), 77–78. <https://doi.org/10.1038/s43017-020-0022-5>

Goldman, A. E., Emani, S. R., Pérez-Angel, L. C., Rodríguez-Ramos, J. A., & Stegen, J. C. (2022). Integrated, coordinated, open, and networked (ICON) science to advance the geosciences: Introduction and synthesis of a special collection of commentary articles. *Earth and Space Science*, 9(4), e2021EA002099. <https://doi.org/10.1029/2021EA002099>

Gray, J. R. (2000). *Comparability of suspended-sediment concentration and total suspended solids data (No. 4191)*. US Department of the Interior, US Geological Survey.

Hill, A. F., Jacquemart, M., Gold, A. U., & Tiampo, K. (2021). Changing the culture of fieldwork in the geosciences. *Eos*, 102. Published on <https://doi.org/10.1029/2021EO158013> 06 May 2021.

Islam, N., & Winkel, J. (2017). Climate change and social inequality. DESA Working Paper No. 152 ST/ESA/2017/DWP/152.

King, L., MacKenzie, L., Tadaki, M., Cannon, S., McFarlane, K., Reid, D., & Koppes, M. (2017). Diversity in geoscience: Participation, behaviour, and the division of scientific labour at a Canadian geoscience conference. *Facets*, 3(1), 415–440. <https://doi.org/10.1139/facets-2017-0111>

Koppes, M., & King, L. (2020). Beyond x, y, z(t); Navigating new landscapes of science in the science of landscapes. *Journal of Geophysical Research: Earth Surface*, 125, e2020JF005588. <https://doi.org/10.1029/2020JF005588>

Lane, S. N. (2021). Editorial: Equality, diversity and the challenges for ESPL. *Earth Surface Processes and Landforms*, 46(1), 3–4. <https://doi.org/10.1002/esp.5038>

Lundberg, S. M., & Lee, S. (2017). A unified approach to interpreting model predictions. <https://doi.org/10.48550/arXiv.1705.07874>

- Martinez-Cola, M. (2020). Collectors, nightlights, and allies, oh my! White mentors in the academy. *Understanding and Dismantling Privilege*, 10(1), 25–57.
- North, M. A., Hastie, W. W., & Hoyer, L. (2020). Out of Africa: The underrepresentation of African authors in high-impact geoscience literature. *Earth-Science Reviews*, 208, 103262. <https://doi.org/10.1016/j.earscirev.2020.103262>
- Pickens, A. H., Hansen, M. C., Hancher, M., Stehman, S. V., Tyukavina, A., Potapov, P., et al. (2020). Mapping and sampling to characterize global inland water dynamics from 1999 to 2018 with full Landsat time-series. *Remote Sensing of Environment*, 243(March), 111792. <https://doi.org/10.1016/j.rse.2020.111792>
- Pickrell, J. (2020). Scientists push against barriers to diversity in the field sciences. *Science*. <https://doi.org/10.1126/science.caredit.abb6887>
- Pico, T. (2019). The darker side of John Wesley Powell. Retrieved from <https://blogs.scientificamerican.com/voices/the-darker-side-of-john-wesley-powell/%20accessed%208/10/2021>
- Ponti, D. J., Blair, J. L., Rosa, C. M., Thomas, K., Pickering, A. J., Akciz, S., et al. (2020). Documentation of surface fault rupture and ground-deformation features produced by the 4 and 5 July 2019 M w 6.4 and M w 7.1 ridgecrest earthquake sequence. *Seismological Society of America*, 91(5), 2942–2959. <https://doi.org/10.1785/0220190322>
- Shugar, D. H., Jacquemart, M., Shean, D., Bhushan, S., Upadhyay, K., Sattar, A., et al. (2021). A massive rock and ice avalanche caused the 2021 disaster at Chamoli, Indian Himalaya. *Science*, 373(6552), 300–306. <https://doi.org/10.1126/science.abb4455>
- St. John, K., Riggs, E., & Mogk, D. (2016). Sexual harassment in the sciences: A call to geoscience faculty and researchers to respond. *Journal of Geoscience Education*, 64(4), 255–257. <https://doi.org/10.5408/1089-9995-64.4.255>
- Stone, R. (2020). Indigenous Alaskans demand a voice in research on warming. *Science*, 369(6509), 1284–1285. <https://doi.org/10.1126/science.369.6509.1284>
- Tarasova, L., Basso, S., Wendi, D., Viglione, A., Kumar, R., & Merz, R. (2020). A process-based framework to characterize and classify runoff events: The event typology of Germany. *Water Resources Research*, 56(5), e2019WR026951. <https://doi.org/10.1029/2019wr026951>
- Tooth, S., & Viles, H. A. (2021). Equality, diversity, inclusion: Ensuring a resilient future for geomorphology. *Earth Surface Processes and Landforms*, v46(1), p5–11. <https://doi.org/10.1002/esp.5026>
- Williamson, T. N., & Crawford, C. G. (2011). Estimation of suspended-sediment concentration from total suspended solids and turbidity data for Kentucky, 1978–1995. *JAWRA Journal of the American Water Resources Association*, 47(4), 739–749. <https://doi.org/10.1111/j.1752-1688.2011.00538.x>